



COLD ROLLED SHEET: product in sheet form, cold rolled, annealed and pickled.

1. STAINLESS STEEL GRADES - INTERNATIONAL STANDARDS

		Austenitics Austen											
ACX	060	110	120	140	180	150	250	240	260	280	315	340	350
EN 10088	1.4372	1.4310	1.4301	1.4301	1.4301	1.4307	1.4401	1.4404	1.4432	1.4571	1.4541	1.4833	1.4845
AISI	201	301	304	304	304	304L	316	316L	316L	316Ti	321	309S	310S

Martensitics			Ferritics Ferritics								Duplex		
ACX	380	390	ACX	500	515	525	535	540	555	800	845	ACX	900
EN 10088	1.4116	1.4031	EN 10088	1.4016	1.4510	1.4511	1.4113	1.4513	1.4521	1.4512	1.4509	EN 10088	1.4462
AISI	420MoV	420	AISI	430	430Ti	430Nb	434	-	444	409L	-	AISI	S31803

This data is subject to changes in accordance with international standards and working practices. Other stainless steel grades on request.

2. SIZES

Sizes according to International Tolerance Standards. Depending on each finish, these are the sizes:

BA

Thickness (mm)	Nominal Width (mm)	Maximum weight (kg/mm width)
0,25 - 1,8	100 - 1250	500 - 6000

Standard sheet sizes
1000 x 2000 (mm)
1250 x 2500 (mm)
1500 x 3000 (mm)

2B / 2D

Thickness (mm)	Nominal Width (mm)	Maximum weight (kg/mm width)
0,4 - 0,5	100 - 1250	500 - 6000
0,6 - 2,5	100 - 1524	500 - 6000
2,5 - 6	600 - 1524	500 - 6000

Note: The specifications of certain products may vary according to grade and finish. For other sizes or specifications, ask your nearest commercial agent.





3. TERMS OF DELIVERY

		Finishes		
2 B / 2 D	2 R (BA)	2 J / 2 G (Grinding)	2 F / 2 M (Embossed)	2 H (Hard tempered)
All	110 120 140 150 180 240 250 260 280 315 500 535 555 845	All	110 120 140 150 180 500	110 120 150 500

Plastic coatings	
PVC and polyethylene Special coatings, deep drawing. Special coatings, laser cut	

This data is subject to changes in accordance with international standards and working practices. Other stainless steel grades on request.

- Note 1. Other plastic coatings on request. Note 2. Other finishes within each stainless steel grade, on request.
- Note 3. 2H (Hard tempered finish): 1/4, 2/4, 3/4, 4/4 hard.

4. GALLERY







